

## The role of the hospital pharmacy in the storage and supply of antidotes

### APPENDIX

Luisa Lombardo,<sup>1</sup> Salvatore Di Rosa,<sup>2</sup> Fabio Venturella<sup>3</sup>

<sup>1</sup>Ospedale San Giovanni di Dio, Agrigento; <sup>2</sup>AO Ospedali Riuniti Villa Sofia-Cervello, Palermo;

<sup>3</sup>Dipartimento di Scienze per la Promozione della Salute G. D' Alessandro, Università di Palermo,

Italy

**Correspondence:** Luisa Lombardo, Ospedale San Giovanni di Dio, contrada Consolida, 92100 Agrigento, Italy.

Tel. +39.320.7685390. E-mail: [iviava@hotmail.it](mailto:iviava@hotmail.it)

**Key words:** therapeutic index, overdose, poison, availability, supply, pharmacy.

This work is licensed under a Creative Commons Attribution NonCommercial 3.0 License (CC BY-NC 3.0).

©Copyright L. Lombardo et al., 2013

Licensee PAGEPress, Italy

*Italian Journal of Medicine* 2013; 7: 259-264

doi:10.4081/ijm.2013.259

**Table A1. Antidote prioritization.** Modified from Locatelli C, 2012.<sup>1</sup>

|                    | <i>COMMERCIAL<br/>NAME</i>              | <i>MAIN INDICATION OF USE</i>                           | <i>PHARMACEUTICAL<br/>FORM</i>             | <i>ROUTE OF<br/>ADMINISTRATION<br/>FOR ANTIDOTIC</i> |
|--------------------|---|---|--|--|
| Ethyl alcohol      | Ethyl alcohol 95°                       | Methanol, ethylene glycol                               | Solution for injection, 10 mL vials at 95° | i.v.   |
| Amyl nitrate       | Galenic medicine, generic denomination  | Ayanides  | Solution, 1 mL vials                       | Inhalation   |
| Atropine sulfate   | Galenic medicine a generic denomination | Carbamates, esters, organophosphorus nerve agents       | Solution for injection, vials              | i.v.   |
| Sodium bicarbonate | Galenic medicine, generic denomination  | Alkalinization of plasma and urine, drug cardiotoxicity | Solution for infusion, vials bottles       | i.v.   |
| Methylene blue     | Galenic medicine, generic denomination  | Meta-hemoglobinizing substances                         | Solution for injection                     | i.v.   |
| Calcium chloride   | Galenic medicine, generic denomination  | Hypocalcemia by ingestion of chlorides, oxalates        | Solution for injection                     | i.v.<br>central catheter                             |

|   |  |   |  |                       |
|---|--|---|--|-----------------------|
| Calcium gluconate                                       | Galenic medicine,<br>generic denomination                      | Hypocalcemia by ingestion of<br>chlorides, skin contact with<br>chlorides | Solution for injection                               | i.v.<br>Topical, oral |
| Glucuronide calcium<br>lactate and calcium<br>carbonate | Galenic medicine,<br>generic denomination                      | Ingestion of sodium fluoride  | Effervescent tablets                                 | Oral                  |
| Vegetable charcoal and<br>activated powder              | - carbomix<br>- toxicarb<br>- galenic<br>formulations          | Non-specific adsorbent  | Solution for injection                               | Oral                  |
| Diazepam  | - valium<br>- noan<br>- diazemuls<br>- galenic<br>formulations | Chloroquine   | Solution for injection                               | i.v.                  |
| Physostigmin (eserine)<br>salicylate                    | Galenic medicine,<br>generic denomination<br>- anticholium     | Central anticholinergic<br>syndrome                                       | Solution for injection                               | i.v.                  |
| Flumazenil  | - anexate<br>- galenic<br>formulations                         | Benzodiazepines   | Solution for injection                               | i.v.                  |
| Antibody fragments<br>antidigital                       | - digibind<br>- digiFab<br>- digitalis<br>- Antidot BM digidot | Digitalis glycosides and other<br>glycosides Digitalis-like               | Lyophilized powder of<br>antibody fragments, bottles | i.v.                  |

|  |   |                                     |  |  |
|--|---|-------------------------------------|--|--|
| Glaucon hydrochloride                              | Glucagen  | Beta blockers                       | Glaucon hydrochloride                                | Glucagen   |
| Hydroxocobalamin                                   | Cyanokit  | Cyanides                            | Lyophilized powder in vials                          | i.v.   |
| Ipecac syrup                                       | Galenic medicine a generic denomination                               | Induction of emesis                 | Syrup in bottles                                     | Oral   |
| Magnesium sulfate                                  | Parapharmaceutical  | Cathartic                           | Powder for suspension in liquid various formulations | Oral   |
| Naloxone   | - narcan<br>- generic formulations                                    | Opioids                             | Solution for injection in vials                      | - i.v.<br>- i.m.<br>- subcutaneous<br>- endotracheal<br>- intranasal aerosol<br>- mad with intranasal device |
| Vaseline or liquid paraffin                        | Galenic medicine a generic denomination                               | Petroleum solvents                  | Emulsion simple in various formulations              | Oral   |
| Polyethylene glycol 400 (PEG 400, macrogol 400)    | Galenic medicine  | Skin decontamination of phenols     | Bottles  | Topical use  |
| Polyethylene glycol 4000 (PEG 4000, macrogol 4000) | - isocolan<br>- macro-p<br>- selg250<br>- selg1000<br>- selg-esse1000 | Catharsis, washing bowel irrigation | Powder for suspension with added electrolytes        | Oral   |

|                                    |  |   |                               |                            |
|------------------------------------|--|---|-------------------------------|----------------------------|
| Protamine hydrochloride or sulfate | Galenic medicine   | Heparin   | solution for injection        | i.v.                       |
| Simethicone                        | - mylicon<br>- simecrin<br>- simegut<br>- galenic medicine | Foaming substances  | Oral drops suspension bottles | Oral                       |
| Sodium thiosulfate                 | Galenic medicine a generic denomination                    | - Ingestion hypochlorite (bleach classical)<br>- cyanides | solution for injection        | - Oral<br>- i.v.           |
| Land of fuller                     | Land of fuller   | Antidote for paraquat and diquat                          | Powder for suspension in jars | Oral                       |
| Vitamin K1-phytomenadione          | - konaktion<br>- generic medicine                          | Anticoagulant, warfarin                                   | Solution for injection        | - i.v.<br>- i.m.<br>- Oral |

i.v., intravenous; i.m., intramuscular.

**Table A2. Antidote prioritization.** Modified from Locatelli C, 2012.<sup>1</sup>

|  | <i>COMMERCIAL NAME</i>  | <i>MAIN INDICATION<br/>USE</i>                                    | <i>FORM<br/>PHARMACEUTICAL</i> | <i>ROUTE OF<br/>ADMINISTRATION FOR<br/>ANTIDOTE</i> |
|--|---|---|--------------------------------|---|
| Folic acid                                     | Folin   | Methanol  | Solution for injection         | - i.m.<br>- Oral                                    |
| Folic acid, calcium levofolinate<br>leucovorin | - calfolex<br>- lederfolin<br>- levotolene<br>- sanitolin<br>- generic medicine | - methanol<br>- methotrexate<br>- pyrimethamine<br>- trimethoprim | Lyophilized powder bottle      | i.v.  |
| Bromocriptine                                  | Medicine generic<br>denomination  | Neuroleptic malignant<br>syndrome                                 | Tablets<br>Capsule             | Oral  |
| Calcium gluconate gel                          | Galenic medicine<br>magisterial   | Skin contact with<br>fluorides                                    | Gel in tubes                   | Topical use   |
| Cyproheptadine                                 | - periactin   | Serotonin syndrome  | Tablets<br>Bottle              | Oral  |
| Chlorpromazine                                 | - largactil<br>- medicine generic<br>denomination                               | Serotonin syndrome  | Phials                         | i.v.  |

|                               |  |   |   |                                    |
|-------------------------------|--|---|---|------------------------------------|
| Dantrolene                    | Dantrium   | - neuroleptic<br>malignant syndrome<br>- malignant<br>hyperthermia  | - lyophilized powder<br>- capsules                      | - i.v.<br>- oral                   |
| Fomepizole                    | - fomepizole<br>- antizol<br>- tomezpizole iniectioin                        | - ethylene glycol<br>- methanol   | Solutions for injection phials<br>and bottles           | i.v.                               |
| Antibody fragments anti-viper | - European<br>- vipervenum antiserum<br>- viperfay<br>- viperaTAh            | European viper bite   | vials<br>pre-filled syringes<br>lyophilized bottles     | i.v.                               |
| N-acetylcysteine              | - Fluimucil 600<br>- flumucil<br>- hidonac<br>- drug generic<br>denomination | - paracetamol<br>- amanitin containing<br>mushrooms<br>- chlorinated<br>hydrocarbons<br>- solvent hepatotoxic | Effervescent tablets<br>Injectable solutions<br>Bottles | - i.v.<br>- oral                   |
| Neostigmin methylsulfate      | - intrastigmin<br>- prostigmin   | Anticholinergic<br>paralytic ileus,<br>paralytic agents   | Solution for injection                                  | - subcutaneous<br>- i.m.<br>- i.v. |
| Pralidoxim                    | Contrathion  | Organophosphorus<br>esters  | Lyophilized powder in<br>bottles                        | i.v.                               |
| Serum antitbotulinico         | Botulism antitoxin   | Botulism  | Serum of equine origin in<br>bottle                     | i.v.                               |

|                                       |  |   |                               |                  |
|---------------------------------------|--|---|-------------------------------|------------------|
| Vitamin B1-thiamine                   | - drug generic denomination<br>- Benerva | - ethyl alcohol<br>- ethylene glycol  | Solution for injection        | - i.v.<br>- i.m. |
| Vitamin B6 - pyridoxine hydrochloride | Benadon                                  | - isoniazid<br>- hydrazine<br>- crimidina<br>- giromitrina<br>- ethylene glycol | Solution for injection phials | - i.v.<br>- i.m. |
| Vitamin C - ascorbic acid             | Vitamin C                                | Meta-hemoglobinemia   | Phials                        | i.v.             |
| L-carnitine                           | L-carnitine                              | Hyperammonemia<br>Hepatotoxicity<br>Encephalopathy from valproic acid           | Phials                        | i.v.             |

i.v., intravenous; i.m., intramuscular.

**Table A3. Antidote prioritization.** Modified from Locatelli C, 2012.<sup>1</sup>

|                                 | <i>COMMERCIAL NAME</i>                                     | <i>MAIN INDICATIONS<br/>USE</i>                                    | <i>PHARMACEUTICAL FORM</i>    | <i>ROUTE OF<br/>ADMINISTRATION FOR<br/>ANTIDOTICO</i> |
|---------------------------------|--|--|-------------------------------|---|
| Benzyl thiouracil               | Basdene  | Thyrotoxicosis   | Tablets                       | Oral  |
| Prussian blue                   | - antidotum talli<br>- radiogardase                        | Thallium   | Capsule                       | Oral  |
| Calcium disodium edetate (EDTA) | - drug generic denomination<br>- calcium Editate of sodium | Lead   | Phials                        | i.v.  |
| Deferoxamine                    | Desferal   | Iron<br>Aluminum   | Lyophilized powder in bottles | i.v.  |
| DMPS                            | Dimaval  | --   | Phials<br>Capsule             | i.v.<br>Oral  |
| Dimercaprol                     | B.A.L.   | - arsenic and Lewisites<br>- inorganic mercury<br>- lead<br>- gold | Phials                        | i.m.  |

|                        |                               |  |                               |                            |
|------------------------|-------------------------------|--|-------------------------------|----------------------------|
| Phentolamine           | Regitin                       | - extravasation by vasoconstrictors<br>- hypertensive crisis by vasoconstrictors or stimulants       | Phials                        | i.v.<br>Local infiltration |
| Penicillamine          | Pemine                        | - copper<br>- also used in mercury poisoning<br>- lead<br>- zinc<br>- gold<br>- arsenic<br>- cadmium | Capsule                       | Oral                       |
| Anti Malmignatta serum | Antivenim latrodectus mactans | Malmignatta  | Lyophilized powder in bottles | i.v.                       |
| Succimer (DMSA)        | Chemet<br>Succicaptal         | - arsenic<br>- Lewisites<br>- other metals   | Tablets                       | Oral                       |

i.v., intravenous; DMPS, dimercapto acid 2.3 -1 propanesulfonic acid.

**Table A4. Antidote prioritization. Up-dated 2012. Modified from Locatelli C, 2012.<sup>1</sup>**

|   | <i>COMMERCIAL NAME</i> | <i>MAIN INDICATION OF USE</i>   | <i>PHARMACEUTICAL FORM</i>  | <i>ROUTE OF ADMINISTRATION FOR ANTIDOTE</i>         |
|---|------------------------|---------------------------------|---|---|
| Dexrazoxane hydrochloride                     | Savene                 | Extravasation of anthracyclines | Powder for injection  | i.v.  |
| Potassium iodide (available at the Pavia PCC) | Galenic preparation    | Radioactive iodine              | Hard capsule  | Oral  |
| Serum rabies                                  | Berirab                | Rabies prophylaxis              | - Solution for injection of immunoglobulins of human origin<br><br>- Solution for injection of immune globulin of equine origin | Perilesional and intramuscularly away from the bite |
| Rabies vaccine                                | Rabipur                | Active immunization for rabies  | Powder for solution for injection   | i.m.  |

i.v., intravenous; PCC, Poison Control Center; i.m., intramuscular.

**Table A5. Antidote prioritization.** Modified from Locatelli C, 2012.<sup>1</sup>

|   | <i>COMMERCIAL<br/>NAME</i> | <i>MAIN INDICATION<br/>OF USE</i>    | <i>PHARMACEUTICAL FORM</i> | <i>ROUTE OF<br/>ADMINISTRATION<br/>FOR ANTIDOTE</i> |
|---|----------------------------|--------------------------------------|----------------------------|---|
| Diethylenetriaminepentaacetic                     | Ditripentat-Ca             | Transuranic nuclides of heavy metals | Solution for injection     | Slow i.v. infusion                                  |
| Pentaacetate calcium (Ca-DTPA) and zinc (Zn-DTPA) | Ditripentat-Zn             |                                      |                            |   |
| Propylthiouracil                                  | Propicil                   | Drug-related hyperthyroidism         | Tablets                    | Oral  |

i.v., intravenous.

## References

1. Locatelli C, Petrolini V, Lonati D, et al. Antidoti 2012, guida all'uso clinico e all'approvvigionamento. Pavia: Centro Antiveleni Pavia; 2012. Available from: <http://www.cavpavia.it>